

LARIUS®

 SAMOA Group

Industrial Professional Hydro Cleaners



FOR INTENSIVE CLEANING IN HAZARDOUS ENVIRONMENTS

- Use with cold or hot water up to 93°C (200°F)
- Transportable sprayer
- Possibility of use with two guns
- Accurate cleaning with water, detergents or chemical solutions
- Meet most of the requirements of pressure, flow and material

PER UNA PULIZIA INTENSIVA IN AMBIENTI PERICOLOSI

- Utilizzo con acqua fredda o calda fino a 93° C (200 °F)
- Spruzzatore trasportabile
- Possibile utilizzo con due pistole
- Pulizia efficace con acqua, detersivi o soluzioni chimiche
- Soddisfano la maggior parte dei requisiti di pressione, flusso, materiale

Made in Italy 1969

www.larius.com



Hydro Clean SS series

For intensive cleaning in hazardous environments.

Professional industrial pneumatic high pressure washers are designed for any type of washing, degreasing, disinfection and descaling.


- Atex Certified Ⓢ III 2 G c IIB T6
- Stainless steel pumps and trolley




Serie Hydro Clean Inox

Per una pulizia intensiva in ambienti pericolosi

Professionali idropultrici industriali pneumatiche ad alta pressione progettate per qualsiasi tipo di lavaggio, sgrassaggio, disinfezione e disincrostazione.

- Certificate Atex  II 2 G c IIB T6
- Idropultrici in acciaio inox
- Carrello in acciaio inox



For intensive cleaning in hazardous environments

- Use with standard open drums
- Use with cold or hot water up to 93°C (200°F)
- Transportable sprayer
- Possibility of use with two guns
- Accurate cleaning with water, detergents or chemical solutions
- Meet most of the requirements of pressure, flow and material
- Heavy Duty use with cold or hot water to remove oil, grease and heat-resistant substances



Accessories

Code	Description
70001	Hydro spray gun
70000	Ventilated lance 170 cm Heat-protected handle
70006	Ventilated lance 120 cm Heat-protected handle
70007	Ventilated lance 70 cm Heat-protected handle
18024	Antipulsation, antistatic hose Ø 1/4" fitting 1/4" GAS 15 m
70005	Polycarbonate protective visor
37215	Stainless steel fine drum filter 40 mesh
37216	Stainless steel coarse drum filter 20 mesh



Stainless steel nozzles

Code	Inox nozzle	Angle	Capacity 80 Bar l/m
70010	02	40°	4
70011	03	40°	6,1
70012	04	40°	8,4
70013	05	40°	10
70014	06	40°	12,1
70015	065	25°	13,2

Code	Inox nozzle	Angle	Capacity 80 Bar l/m
70016	07	40°	14,1
70017	075	25°	15,2
70018	08	40°	16,1
70019	085	25°	17,1
70020	09	40°	18

Per una pulizia intensiva in ambienti pericolosi

- Usi gravosi con acqua fredda o calda
- Utilizzare con fusti universali a testa aperta
- Utilizzo con acqua fredda o calda fino a 93° C (200 °F)
- Spruzzatore trasportabile
- Possibile utilizzo con due pistole
- Pulizia efficace con acqua, detersivi o soluzioni chimiche
- Soddisfano la maggior parte dei requisiti di pressione, flusso, materiale



Corredo di lavoro

Codice Descrizione

- 70001 Pistola Hydro
- 70000 Lancia ventilata cm. 170 Impugnatura protetta dal calore
- 70006 Lancia ventilata cm. 120 Impugnatura protetta dal calore
- 70007 Lancia ventilata cm. 70 Impugnatura protetta dal calore
- 18024 Tubo antipulsazioni antistatico Ø 1/4" raccordato 1/4" GAS mt.15
- 70005 Visiera protettiva in policarbonato
- 37215 Filtro a tamburo fine Inox 40 mesh
- 37216 Filtro a tamburo grosso Inox 20 mesh



Ugelli Inox

Codice	Ugello Inox	Angolo	Capacità 80 Bar l/m
70010	02	40°	4
70011	03	40°	6,1
70012	04	40°	8,4
70013	05	40°	10
70014	06	40°	12,1
70015	065	25°	13,2

Codice	Ugello Inox	Angolo	Capacità 80 Bar l/m
70016	07	40°	14,1
70017	075	25°	15,2
70018	08	40°	16,1
70019	085	25°	17,1
70020	09	40°	18

SS HYDRO CLEAN SERIES - ON TROLLEY VERSION ACCESSORIES INCLUDED

Model	Code	Description
Hydro Clean Ghibli 10:1 SS Max. flow 12 l/m	K70001	96667 Ghibli 10:1 SS Accessories included*
Hydro Clean Sirio 32:1 SS Max. flow 8,2 l/m	K70004	99011 Sirio 32:1 SS Accessories included*
Hydro Clean Omega 15:1 SS Max. flow 23 l/m	K70002	7467 Omega 15:1 SS Accessories included*
Hydro Clean Omega 23:1 SS Max. flow 14 l/m	K70000	7311/1 Omega 23:1 SS Accessories included*
Hydro Clean Omega 34:1 SS Max. flow 11 l/m	K70005	7390/1 Omega 34:1 SS Accessories included*
Hydro Clean Nova 20:1 SS Max. flow 32 l/m	K70003	95779/1 Nova 20:1 SS Accessories included*
Hydro Clean Nova 30:1 SS Max. flow 23 l/m	K70007	94901/1 Nova 30:1 SS Accessories included*
Hydro Clean Nova 45:1 SS Max. flow 14 l/m	K70006	68400/1 Nova 45:1 SS Accessories included*

ACCESSORIES INCLUDED IN ALL HYDRO CLEAN SS VERSIONS

70001 Hydro spray gun - **70006** Ventilated lance 170 cm - **3 SS nozzles** 70010 - 70012 - 70014
18024 Antipulsation, antistatic hose Ø 1/4" fitting 1/4" GAS 15 m - **70005** Polycarbonate protective visor



**Hydro Clean Inox
Ghibli 10:1**

Consumo aria a 60 cicli/min:
 3 bar 500 l/m
 5 bar 840 l/m
 7 bar 1200 l/m



**Hydro Clean Inox
Sirio 32:1**

Consumo aria a 60 cicli/min:
 3 bar 760 l/m
 5 bar 1260 l/m
 6 bar 1760 l/m



**Hydro Clean Inox
Omega 15:1- 23:1 - 34:1**

Consumo aria a 60 cicli/min:
 3 bar 1100 l/m
 5 bar 1800 l/m
 7 bar 2500 l/m



**Hydro Clean Inox
Nova 20:1 - 30:1 - 45:1**

Consumo aria a 60 cicli/min:
 3 bar 2200 l/m
 5 bar 3600 l/m
 7 bar 5000 l/m

SERIE HYDRO CLEAN INOX - VERSIONE SU CARRELLO CORREDO DI LAVORO INCLUSO

Modello	Codice	Descrizione
Hydro Clean Ghibli 10:1 Inox Portata Max. 12 l/m	K70001	96667 Ghibli 10:1 Inox con corredo di lavoro*
Hydro Clean Sirio 32:1 Inox Portata Max. 8,2 l/m	K70004	99011 Sirio 32:1 Inox con corredo di lavoro*
Hydro Clean Omega 15:1 Inox Portata Max. 23 l/m	K70002	7467 Omega 15:1 Inox con corredo di lavoro*
Hydro Clean Omega 23:1 Inox Portata Max. 14 l/m	K70000	7311/1 Omega 23:1 Inox con corredo di lavoro*
Hydro Clean Omega 34:1 Inox Portata Max. 11 l/m	K70005	7390/1 Omega 34:1 Inox con corredo di lavoro*
Hydro Clean Nova 20:1 Inox Portata Max. 32 l/m	K70003	95779/1 Nova 20:1 Inox con corredo di lavoro*
Hydro Clean Nova 30:1 Inox Portata Max. 23 l/m	K70007	94901/1 Nova 30:1 Inox con corredo di lavoro*
Hydro Clean Nova 45:1 Inox Portata Max. 14 l/m	K70006	68400/1 Nova 45:1 Inox con corredo di lavoro*

CORREDO DI LAVORO INCLUSO PER TUTTE LE VERSIONI HYDRO CLEAN INOX

70001 Pistola Hydro - **70006** Lancia ventilata cm 170 - **3 Ugelli Inox** 70010 - 70012 - 70014

18024 Tubo antipulsazioni antistatico Ø 1/4" raccordato 1/4" GAS mt.15 - **70005** Visiera protettiva in policarbonato



**Hydro Clean Inox
Ghibli 10:1**

Air consumption at 60 cycles/min:
3 bar 500 l/m
5 bar 840 l/m
7 bar 1200 l/m



**Hydro Clean Inox
Sirio 32:1**

Air consumption at 60 cycles/min:
3 bar 760 l/m
5 bar 1260 l/m
6 bar 1760 l/m



**Hydro Clean Inox
Omega 15:1- 23:1 - 34:1**

Air consumption at 60 cycles/min:
3 bar 1100 l/m
5 bar 1800 l/m
7 bar 2500 l/m



**Hydro Clean Inox
Nova 20:1 - 30:1 - 45:1**

Air consumption at 60 cycles/min:
3 bar 2200 l/m
5 bar 3600 l/m
7 bar 5000 l/m

Your job is our job every day

**Solutions for professional industrial applications.
Italian excellence in our entire range.**

The story of Larius, started in 1969 in Italy, is one of continuous innovation. A specialised company, a leading manufacturer of systems for industrial painting, extrusion of viscous products and the transfer of liquids and fluids.

Larius is considered an ambassador of Made in Italy products in the world, and has been an international standard for operators in the sector for nearly 50 years.

At Larius, we grow each day thanks to the different needs of our Customers that enable us to continuously reach new heights, to invest in research, development and innovation.

We design and construct increasingly cutting-edge solutions to define higher productivity levels, a relevant competitive edge, and such an abundance of range as to ensure the most efficient and flexible choice for our Customers.

Our machinery is strictly tested and inspected to ensure maximum uptime and yield according to the selected operating mode.

Our goal is to allow the user to do more work in less time, thanks to the constant operation of our systems, product savings, the ability of machines to work in extreme conditions in small and large work spaces, and ease of use and maintenance.

Your work deserves the best.

Choose Larius and Italian excellence.



Contact us and find the right solution for your project
Contattaci e trova la giusta soluzione al tuo progetto

Authorised Retailer
Rivenditore Autorizzato

In Larius ogni giorno
ci occupiamo del tuo lavoro

**Soluzioni per applicazioni industriali professionali.
Eccellenza italiana su tutte le gamme.**

E' una storia di innovazione continua quella di Larius, iniziata nel 1969 in Italia. Azienda specializzata, leader nella produzione di sistemi per la verniciatura industriale, l'estrusione di prodotti viscosi e il travaso di liquidi e fluidi.

È considerata ambasciatrice del Made in Italy nel mondo, e rappresenta da quasi 50 anni un punto di riferimento internazionale per gli operatori di settore.

In Larius cresciamo ogni giorno grazie alle diverse esigenze dei nostri Clienti che ci consentono di raggiungere continuamente nuovi traguardi, di investire in ricerca, sviluppo e innovazione.

Progettiamo e costruiamo soluzioni sempre più all'avanguardia per definire livelli di produttività superiori, rilevanti margini competitivi e una completezza di gamma tale da assicurare la scelta più efficiente e flessibile per il Cliente.

I nostri macchinari sono severamente testati e collaudati per garantire la massima operatività e resa in base alla modalità di lavoro prescelta.

Il nostro obiettivo è quello di permettere all'utilizzatore di svolgere più lavoro in meno tempo, grazie al funzionamento costante dei nostri sistemi, il risparmio del prodotto, la capacità delle macchine di lavorare in condizioni estreme in spazi di lavoro piccoli e grandi, la facilità d'uso e manutenzione.

Il tuo lavoro merita il meglio.

Scegli Larius e l'eccellenza italiana.

Larius S.r.l.
Via A. Stoppani 21 - 23801 Calolziocorte (LC) ITALY
Phone +39 0341 621152 - Fax +39 0341 621242
E-mail: larius@larius.com - www.larius.com

Made in Italy Since 1969

